

A2  
Cmclh-

function is invoked when another page function, which has been invoked by the page function, has performed some other task. Both the activate service and the complete service, when invoked, execute a decision including at least one of a decision to finish (and return to a calling page function), a decision to show the user interface page associated with the page function, and a decision to create a new page function (and navigate to the new page function).

In the Claims:

Please amend Claims ~~1, 7, 11, 12, 22, 27, 32, 36, 37, and 43~~ as shown below, and add new Claims ~~44-63~~.

1. (Amended) An application for presenting a user interface on a computer display, comprising:

one or more page functions, each page function having a set of exposed attributes, a set of page function services, and a binding selectively bound to a user interface page, a first subset of the set of exposed attributes defining types of information receivable by the page function, a second subset of the set of exposed attributes defining types of information returnable by the page function, the set of page function services including an activate service and a complete service, both services being invocable to execute a decision selected from the group comprising a decision to finish, a decision to show the user interface page, and a decision to create a new page function; and

a frame having a set of frame services and a data structure, the set of frame services including a navigate service and a finish service, the navigate service being invocable by a page function to cause the frame to invoke the activate service of another page function and cause the other page function to perform a task, the finish service being invocable by the other page function to cause the frame to invoke the complete service of the page function, the data

A3  
cm.t